

### United States Patent and Trademark Office

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
Washington, D.C. 20231
www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/730,116

12/05/2000

Robert Manuel Carmichael

10464.6803

**CONFIRMATION NO. 8544** 

FORMALITIES LETTER

\*OC000000005726032\*

Daniel S. Polley, Esq. Malin, Haley & DiMaggio, P.A. 1936 South Andrews Avenue Fort Lauderdale, FL 33316

Date Mailed: 02/01/2001

#### NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice <u>MUST</u> be returned with the reply.

**Customer Service Center** 

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

February 20, 2001

In re application of

Robert Manuel Carmichael

Serial No.

09/730,116

Filed

12/05/00

Invention

ACTIVE CONTROL RELEASABLE BALLAST SYSTEM

WITH DIVE EQUIPMENT

Our File No.

10464.6803

### RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Hon. Commissioner of Patents and Trademarks

Attn: Customer Service Center Initial Patent Examination Division

Washington, D.C. 20231

Dear Sir:

In response to the Notice to File Corrected Application Papers dated February 1, 2001, copy enclosed, the Applicant submits herewith substitute drawings (Figs. 1-34). The margins have been corrected in compliance with 37 CFR 1.84.

Any additional charges, including extensions of time, please bill our Account No. 13-1130.

Respectfully submitted,

Daniel S. Polley, Reg. No. 34,902

Malin, Haley & DiMaggio, P.A. 1936 South Andrews Avenue

Fact I and and also Elamida 2221

Fort Lauderdale, Florida 33316

(954) 763-3303